






Elmasonic Xtra

Launch information

Overview



New design





Developed for

Watchmakers / jewellers
Watch and jewellery studios
and manufacturers

Metalworking companies

Industrial component manufacturers

Workshops and repair shops

Research and development labs



Cleans

Industrial components and parts
Carburetors and filters

Watch components
Straps, clasps and cases

Jewellery
*Earrings and bracelets
(with and without precious stones)*

Lab instruments
*Volumetric measuring devices
Test tubes*



Removes

Resins

Oil and grease

Adhesive residues

Abrasive and polishing pastes

Chips

Flux

Organic soiling
Callus and skin residue

Dirt from wearing



Robust and durable.

The robust, welded ultrasonic tank, made from high-quality stainless steel, is characterised by its extraordinary durability. In comparison to deep-drawn tanks, it is significantly better at withstanding continuous use and the stresses of ultrasonic waves. Place your trust in our technology and experience a cleaning solution that effortlessly handles even the toughest conditions.

User-friendly and intuitive.

The Elmasonic Xtra ultrasonic device combines state-of-the-art technology with unbeatable user-friendliness. The rotary controls on the intuitive control panel allow effortless configuration of all important settings, such as temperature and time. The simple, easy-clean panel ensures that you can focus fully on your work. Experience efficiency and cleanliness at the highest level.

Safe and reliable.

With a clear focus on safety, Elmasonic Xtra offers advanced features such as automatic shutdown after completion of the cleaning process and integrated dry-run protection that triggers a safe shutdown if the water level is too low. This guarantees maximum safety and efficiency in your daily work.

Powerful and environmentally friendly.

With the Elmasonic Xtra, experience a new dimension in industrial cleaning. The powerful Dynamic mode ensures perfect cleaning of heavily soiled components. In Eco mode, components that are only lightly soiled are cleaned gently, thus saving valuable energy and protecting the components and the environment.

Technical data



Technical data Mechanical

Elmasonic Xtra	40	60	120	180	300
Total volume V (l)	4.0	6.3	14.2	19.7	30.0
External device dimensions W / D / H (mm)	435 / 215 / 320	500 / 215 / 320	500 / 315 / 370	530 / 380 / 370	700 / 380 / 370
Internal tank dimensions W ₁ / D ₁ / H ₁ (mm)	235 / 130 / 150	300 / 130 / 150	300 / 235 / 190	330 / 295 / 190	500 / 295 / 190
Weight with cover (kg)	6.8	7.9	11.3	13.2	17.8
Drain connection thread (")	1/2				

Electrical

Elmasonic Xtra	40	60	120	180	300
Eff. ultrasonic power ± 10% (W)	140	160	220	260	330
Heating power (W)	400		800	1000	1200

Comparison



	Elmasonic xtra TT	Elmasonic Xtra
Number of devices	4	5
Bath volume	3 to 18 litres	4 to 30 litres
Eco mode	✗	✓
Sweep mode	✓	✗
Dynamic mode	✓	✓
Adjustable limit temperature with LED	✓	✗
Temperature-controlled auto-start function	✓	✗
Dry-running protection with LED	✗	✓
Auto Wake Up after 8 hours	✗	✓
Drain ball valve	✗	✓
Compatibility Elma accessories	✗	✓
Quick Start Guide	✗	✓

Quick Start Guide & Packaging



Elmasonic Xtra
Quick Start Guide.

Bediungsanleitung
Instruction manual
Manuel d'instructions

- 1** Unboxing and safety. Shows the box being opened and the machine being placed on a flat surface. Includes a warning icon for sharp edges.
- 2** Power connection. Shows the power cord being plugged into the machine and a wall outlet.
- 3** Filling the tank. Shows water being poured into the tank. Includes a warning icon for hot liquids.
- 4** Loading items. Shows items being placed in the basket. Includes a warning icon for sharp objects.

Start / Stop.

- 5** Start / Stop. Shows the control panel with the power button and the start/stop button. Includes a warning icon for hot liquids.
- 6** Start / Stop. Shows the control panel with the power button and the start/stop button. Includes a warning icon for hot liquids.
- 7** Start / Stop. Shows the control panel with the power button and the start/stop button. Includes a warning icon for hot liquids.
- 8** Start / Stop. Shows the control panel with the power button and the start/stop button. Includes a warning icon for hot liquids.

www.elma-ultrasonic.com



**Thank you
for your attention.**